



## Staff Report

**Report Title: Kairshea Ave Drainage**

**Prepared By: John Yungblut**

**Department: Public Works**

**Date: Apr. 7, 2021**

**Report Number: PW-2021-04-32**

**File Number: T04ASP 21**

**Attachments:**

---

**Recommendation:**

That the Township of Huron-Kinloss Committee of the Whole hereby approves Report Number PW2021-04-32 prepared by John Yungblut, Director of Public Works AND accepts the quote from MacLennan Kenneth Farm Drainage in the amount of \$12,740.00 plus HST for the installation of drainage tile on Kairshea Ave AND FURTHER authorizes the appropriate by-law coming forward AND FURTHER authorizes an exemption to the Purchasing and Procurement Policy.

**Background:**

Based on observations of Public Works Operations staff, the geotechnical report completed in 2020 and comments from ratepayers in the area, Township staff determined that it would be worthwhile to install drainage tile along the shoulders of Kairshea Ave between Langside St. and Wolfe St. prior to the start of asphalt paving.

**Discussion:**

Township staff requested quotes from two local drainage contractors, but only received one bid. The \$12,740.00 quote includes 3,475 metres (11,400 feet) of 100mm (4") diameter drainage tile with sock at an approximate depth of 0.9 metres (3 feet).

Public Works Operations staff will install the necessary outlets at each low point in the system.

**Financial Impacts:**

The 2021 Capital Budget allocated \$900,000 for the paving of Kairshea Ave between Bruce Road 1 and Wolfe St.

**Strategic Alignment / Link:**

We are a prosperous community that continues to grow in a sustainable manner by investing in infrastructure.

**Respectfully Submitted By:**

John Yungblut, Director of Public Works

**Approved By:**

Mary Rose Walden, Chief Administrative Officer